

INDEX

Synonyms are printed in *Italics*; new names in bold-face type.

- Abies acclada*, 56
 — *alba*, 54
 — — *coerulea*, 57
 — — **columnaris**, 55
 — — *glauca*, 57
 — — *nana*, 57
 — — *prostrata*, 58
 — *Andreana*, 54
 — *Beissneriana*, 54
 — *canadensis aurea*, 57
 — *excelsa*, 56
 — — *elegans*, 56
 — — *Ellwangeriana*, 56
 — — *Merkii*, 56
 — — *monstrosa*, 56
 — — *parviformis*, 56
 — — *procumbens*, 56
 — — *pygmaea*, 56
 — — *Remontii*, 57
 — *homolepis tomomi*, 53
 — — **Andreana**, 54
 — — **Beissneriana**, 54
 — — *insignis*, 54
 — — **Kentiana**, 54
 — — **Mastersiana**, 54
 — — *speciosa*, 54
 — *Kaempferi*, 53
 — *Kentiana*, 54
 — **koreana**, 188
 — *lasiocarpa compacta*, 55
 — *Mastersiana*, 54
 — *nephrolepis*, 188
 — — **chlorocarpa**, 189
 — *Nordmanniana*, 54, 265
 — — *speciosa*, 265
 — — × *Pinsapo*, 54
 — *pectinata*, 54
 — — *columnaris*, 55
 — *Picea*, 54
 — *pseudopinsapo*, 54
 — *pygmaea*, 56
 — *spectabilis brevifolia*, 54
 — *subalpina compacta*, 55
 — *tomomi*, 53
 — *vulgaris*, 54
 — *Webbiana brevifolia*, 54
Acer ginnala, 37
Acer mandshuricum, 37
 — *triflorum*, 37
 American and Asiatic species of *Sassafras*, 242
 American Willows, Notes on, v-viii, 1, 67, 147, 211
 Arboretum, Assistant Director of the, 66
 Arboretum Expedition to Eastern Asia, 66
 Arnold Arboretum, New Species, Varieties and Combinations from the Herbarium and Collections of the, 44, 121, 191, 254
Arundinaria albo-marginata, 58
Arundinaria albo-marginata minor, 58
 — *kurilensis paniculata*, 58
 — *palmata*, 58
 — *paniculata*, 58
 — — *nebulosa*, 58
 — — *stenantha*, 59
 — *Veitchii*, 58
 Assistant Director of the Arboretum, 66
Bambusa albo-marginata, 58
 — — *minor*, 58
 — *palmata nebulosa*, 58
 — *paniculata*, 58
 — *senanensis*, 58
 — — *albo-marginata*, 58
 — *stenantha*, 59
 — *tessellata*, 58
 — *Veitchii*, 58
 Benzoin, 144
 — **aromaticum**, 144
 — **cercidifolium**, 144
 — **commune**, 144
 — **erythrocarpum**, 144
 — **fragrans**, 145
 — **fruticosum**, 145
 — **grandifolium**, 145
 — *hypoglaucum*, 146
 — *hypoleucum*, 146
 — *membranaceum*, 146
 — **obovatum**, 145
 — **Oldhamii**, 145
 — **pedunculatum**, 145

- Benzoin Prattii, 145
 — puberulum, 145
 — reflexum, 145
 — rubronervium, 145
 — sericeum, 146
 — setchuenense, 145
 — strychnifolium Hemsleyanum, 145
 — supracostatum, 146
 — Thunbergii, 144, 146
 — umbellatum, 146
 — — hypoglaucum, 146
 — — sericeum, 146
 — urophyllum, 146
 Berberis pinnata Wagneri, 143
 Betula alba elobata, 63
 — dentata viscosa pyramidalis, 60
 — fontinalis, 65
 — — Piperi, 65
 — Lyalliana, 63
 — montanensis, 64
 — occidentalis, 63
 — papyracea occidentalis, 63
 — papyrifera elobata, 63
 — — Lyalliana, 63
 — — montanensis, 64
 — — occidentalis, 63
 — — subcordata, 63
 — pendula viscosa, 60
 — Piperi, 65
 — Schmidtii, 36
 — subcordata, 63
 — verrucosa dentata viscosa, 60
 Bonin Islands and their Ligneous Vegetation, 97
 Bonin Islands, New Woody Plants from the, 115
 Boninia glabra, 112
 — grisea, 112
 Botanical Magazine, 264
 Butneria fertilis ferax, 143
 Butneria nana, 143

 Calpidia Nishimurae, 117
 Calycanthus ferax, 143
 — fertilis ferax, 143
 — — laevigatus, 143
 — — nanus, 143
 — laevigatus, 143
 — pennsylvanicus, 143
 Camphor, Cinnamomum Camphora Nees & Ebermaier, 239
 Carpinus Handellii, 59
 Carya cathayensis, 59
 Castanea acuminatissima, 121
 — cooperta, 124
 Castanopsis acuminatissima, 121
 — Blumeana, 122
 — costata, 124
 — encleisocarpa, 122
 — reflexa, 122
 Chamaecyparis obtusa f. tetragona, 52
 — — tetragona aurea, 52
 Cinnamomum Camphora Nees & Ebermaier, Camphor, 239
 Citrus nobilis spontanea, 177
 Clematis bicolor, 194
 — dioscoreifolia, 195
 — Flammula rubro-marginata, 195
 — florida bicolor, 194
 — — Sieboldii, 194
 — — Standishii, 194
 — glauca phaeantha, 195
 — Morelii, 194
 — paniculata dioscoreifolia, 195
 — patens Standishii, 194
 — Pitcheri \times coccinea, 194
 — rubro-marginata, 195
 — Sieboldii, 194
 — Simsii \times texensis, 194
 — Standishii, 194, 195
 — violacea rubro-marginata, 195
 Conifers from Korea, Four New, 186
 Cornus coreana, 37
 — officinalis, 37
 Cotoneaster formosana, 261
 — Koidzumii, 261
 — Koizumii, 261
 — taitoensis, 261
 Crataegomespilus Asnieresii, 262
 — Dardari Asnieresii, 262
 — — crataegoides, 262
 — “Jules d’Asnières,” 262
 — Gillotii, 262
 Crataegus, 247
 — aestivalis, 251
 — aestivalis, 249, 250
 — — cerasoides, 250
 — — luculenta, 251
 — — maloides, 250
 — cerasoides, 250
 — Cocksii, 248
 — drymophila, 252
 — gloriosa, 254
 — Holmesiana tardipes, 254
 — lucida, 250
 — luculenta, 251
 — maloides, 250
 — meridionalis, 252
 — monantha, 250
 — monogyna biflora, 263

- Crataegus monogyna praecox*, 263
 — *montivaga*, 247
 — *noelensis*, 253
 — *Oliveriana*, 263
 — *Oliviriana*, 263
 — *opaca*, 250
 — *Oxyacantha biflora*, 263
 — — × *Mespilus germanica* 2. *Asnieresii*, 262
 — — *Oliveriana*, 263
 — — *praecox*, 263
 — *oxyacantho-germanica*, 262
 — *pedicellata gloriosa*, 254
 — *pentagyna Oliveriana*, 263
 — *rufula*, 250, 251
 — *silvicola*, 252
 — *tardipes*, 254
Cratae-Mespilus Gillotii, 262
Cupressus Bentharii Knightiana, 52
 — *elegans*, 52
 — *Knightiana*, 52
 — *lusitanica Bentharii*, 52
 — *lusitanica Knightiana*, 52
 — *obtusa tetragona-aurea*, 52
Cycas revoluta, 174
Cyclobalanus Blumeana, 122
 — *celebica*, 123
 — *conocarpa*, 124
 — *costata*, 124
 — *encleistocarpa*, 122
 — *hystrix*, 127
 — *induta*, 127
 — *lamponga*, 128
 — *Llanosii*, 128
 — *omalokos*, 129
 — *ovalis*, 129
 — *philippinensis*, 129
 — *platycarpa*, 130
 — *Tysmanni*, 132
Cyphokentia, 110
 — *Savoryana*, 115

Deutzia, 206
 — *calycosa macropetala*, 208
 — *discolor* × *mollis*, 209
 — *hebecarpa*, 208
 — *heterotricha*, 207
 — *longifolia elegans*, 209
 — *parviflora ovatifolia*, 210
 — *scabra*, 206
 — *scabra*, 207
 — — *Thunbergiana*, 207
 — *Sieboldiana Thunbergiana*, 207
 — *Wilsonii*, 209
Didymosperma Engleri, 175

 Eastern Asia, Arboretum Expedition to, 66
Edwinia Wrightii, 204, 205
Elaeagnus liukiensis, 181
 — *rotundata*, 182
Evodia Kumagaiana, 118
 — *Nishimurae*, 265
 — *triphylla*, 118

Fagara okinawensis, 180
 — *schinifolia*, 180
Fendlera, 203
 — *falcata*, 204
 — *linearis*, 203, 205
 — *rupicola*, 203
 — — *falcata*, 203, 204
 — *rupicola*, 204
 — — *Lindheimeri*, 203
 — — *Wrightii*, 204
 — *tomentella*, 205
 — *Wrightii*, 203, 204
Ficus Iidaiana, 117
Fothergilla involucrata, 256
 Four New Conifers from Korea, 186

Hamamelis, 245
 — *macrophylla*, 246
 — *vernalis tomentella*, 256
 — *virginiana*, 246
 — — *macrophylla*, 246
Holodiscus franciscanus, 260
 — *glabrescens*, 260
 — *microphylla*, 260

Ilex bonincola, 108

Juniperus conferta, 174
 — *squamata*, 191
 — *squamata Wilsonii*, 191
 — *taxifolia*, 109

 Kawanabee Islands, List of Woody Plants of the, 183
 Korea, Four New Conifers from, 186
 Korea, A Phytogeographical Sketch of the Ligneous Flora of, 32

Laricopsis Kaempferi, 53
Larix amabilis, 53
 — *dahurica viridis*, 189
 — *decidua* × *Kaempferi*, 52
 — *europaea* × *leptolepis*, 52
 — *Henryana*, 52
 — *hybrida*, 52
 — *Kaempferi*, 53

- Ligneous Flora of Korea, A Phytogeographical Sketch of the, 32
- Ligneous Vegetation, The Bonin Islands and their, 97
- Ligneous Vegetation, Liukiu Islands and their, 171
- Lindera aromatica*, 144
- *caudata*, 146
- *cercidifolia*, 144
- *communis*, 144
- *erythrocarpa*, 144
- *fragrans*, 145
- *fruticosa*, 145
- *hypoglauca*, 146
- *megaphylla*, 145
- *membranacea*, 143, 146
- *obovata*, 145
- *Oldhami*, 145
- *pedunculata*, 145
- *Pratti*, 146
- *puberula*, 145
- *randaiensis*, 244
- *reflexa*, 145
- *Rosthornii*, 145
- *rubronervia*, 145
- *sericea*, 146
- *setchuenensis*, 145
- *strychnifolia Hemsleyana*, 146
- — *var.*, 146
- *supracostata*, 146
- *Thunbergii*, 145
- *umbellata*, 143, 144, 146
- — *hypoglauca*, 146
- — *sericea*, 146
- List of Woody Plants of the Kawanabe Islands, 183
- Lithocarpus, 122
- *acuminata*, 122
- *amygdalifolia*, 122, 265
- *apoensis*, 123
- *attenuata*, 123
- *Bennettii*, 123
- *brevicaudata*, 123, 265
- *Carolinae*, 123
- *cathayana*, 123
- *caudatifolia*, 123
- *celebica*, 123
- *clathrata*, 123
- *conocarpa*, 123
- *cooperta*, 124
- *Copelandii*, 124
- *costata*, 124
- *crassinervia*, 124
- *Curranii*, 124
- *cyrtothyncha*, 124
- Lithocarpus dasystachya*, 124
- *dealbata*, 124
- *densiflora lanceolata*, 125
- *densiflora montana*, 125
- *dolichocarpa*, 125
- *edulis*, 125
- *Elizabethae*, 125
- *Eyrei*, 125
- *fenestrata*, 126
- *formosana*, 126, 265
- *glabra*, 126
- *glabra*, 125
- *Hancei*, 127
- *Harlandii*, 127
- *heliciformis*, 127
- *hystrix*, 127
- *induta*, 127
- *Irwinii*, 127
- *iteaphylla*, 127
- *Jordanae*, 127
- *lamponga*, 128
- *lappacea*, 128
- *lipacon*, 128
- *Llanosii*, 128
- *lucida*, 128
- *Maingayi*, 128
- *Mairei*, 128
- *Merrittii*, 128
- *mindanaensis*, 128
- *monticola*, 129
- *omalokos*, 129
- *ovalis*, 129
- *pachyphylla*, 129
- *pallida*, 129
- *philippinensis*, 129
- *platycarpa*, 130
- *polystachya*, 130
- *pruinosa*, 130
- *pseudo-molucca*, 130
- *pyriformis*, 130
- *rassa*, 130
- *Robinsonii*, 130
- *scutigera*, 124
- *Skania*, 131
- *Soleriana*, 131
- *spicata chittagonga*, 131
- — *gracilipes*, 131
- *submonticola*, 131
- *sundaica*, 131
- *Teysmannii*, 131
- *thalassica*, 126
- *Thomsonii*, 132
- *truncata*, 132
- *uvariifolia*, 132
- *Wallichiana*, 132

- Lithocarpus Wenzelii*, 132
 — *Zschokkei*, 132
Litsea sericea, 143
 Liukiu Islands and their Ligneous Vegetation, 171
Livistona chinensis, 110, 175
Lobelia boninensis, 120

Mahonia Aquifolium × *pinnata*, 142
 — *pinnata Wagneri*, 143
 — *repens subcordata*, 142
 — *Wagneri*, 142
Mespilus aestivalis, 250
 — *germanica* × *monogyna* b. *Asnieresi*, 262
 — *Oliveriana*, 263
 — *Oxyacantha praecox*, 263
Morus mongolica vestita, 142
Myoporum bontioides, 175

Neillia longeracemosa lobata, 257
 — *opulifolia ferruginea*, 256
 — *sparsiflora*, 257
 New Species, Varieties and Combinations from the Herbarium and the Collections of the Arnold Arboretum, 44, 121, 191, 254
 New Woody Plants from the Bonin Islands, 115
 North American Trees, Notes on, v, vi, 61, 245
 Notes, 66, 264
 Notes on American Willows, v-viii, 1, 67, 147, 211
 Notes on North American Trees, v, vi, 61, 245

Opulaster alabamensis, 257
 — *australis*, 256
 — *stellatus*, 256
Osteomeles anthyllidifolia, 108

Paeonia Lemoinei, 194
 — *lutea* × *suffruticosa*, 194
 — *Moutan Anneslei*, 194
 — *suffruticosa*, 194
 — *suffruticosa Anneslei*, 194
 — — *spontanea*, 193
 PALMER, ERNEST J. The Canyon Flora of the Edwards Plateau of Texas, 233
Pandanus boninensis, 110
Parrotia Jacquemontiana, 256
Parrotiopsis involucrata, 256
 — *Jacquemontiana*, 256
Pasania acuminata, 122
 — *Pasania acuminatissima*, 122
 — *amygdalifolia*, 122
 — *attenuata*, 123
 — *brevicaudata*, 123
 — *Carolinae*, 123
 — *cathayana*, 123
 — *crassinervia*, 124
 — *dealbata*, 125
 — *densiflora echinoides*, 125
 — — *lanceolata*, 125
 — *edulis*, 125
 — *Elizabethae*, 125
 — *fenestrata*, 126
 — *formosana*, 126
 — *glabra*, 125, 126
 — *Hancei*, 127
 — *Harlandii*, 127
 — *Irwinii*, 127
 — *iteaphylla*, 127
 — *lappacea*, 128
 — *Mairei*, 128
 — *montana*, 125
 — *omalokos*, 129
 — *pachyphylla*, 129
 — *polystachya*, 130
 — *pruinosa*, 130
 — *pseudomolucca*, 130
 — *Skaniana*, 131
 — *spicata chittagonga*, 131
 — — *gracilipes*, 131
 — *sundaica*, 131
 — *Teysmannii*, 132
 — *thalassica*, 126
 — *truncata*, 132
 — *uvariifolia*, 132
Philadelphus Californicus, 196
 — *columbianus*, 196
 — *congestus*, 200
 — *coronarius deutziaeflorus*, 201
 — — *deutziaeflorus plenus*, 201
 — — *nivalis plenus*, 199
 — — *nivalis spectabilis plenus*, 199
 — *Coulteri* × *Lemoinei*, 203
 — *cymosus*, 201
 — *Delavayi calvescens*, 196
 — *floridus*, 198
 — — *Faxonii*, 199
 — *Gordonianus californicus*, 196
 — — *columbianus*, 196
 — — × *latifolius*, 199
 — — *monstrosus*, 199
 — — × *pubescens*, 199
 — *grandiflorus* × *Lemoinei*, 201
 — *Henryi*, 197
 — *inodorus strigosus*, 198

- Philadelphus insignis* × *Lemoinei*, 201
 — *Kochianus*, 201
 — *laxus* × *Gordonianus*, 200
 — — **strigosus**, 198
 — — × *verrucosus*, 200
 — *Lemoinei* × *Coulteri*, 203
 — — *maculatus*, 203
 — — *multiflorus*, 201
 — *Lemoinei* × *verrucosus plenus*, 202
 — *monstrosus*, 199
 — *nivalis*, 199
 — — *spectabilis plenus*, 199
 — *oreganus*, 196
 — *pekinensis dasycalyx*, 197
 — *phantasia*, 203
 — **polyanthus**, 201
 — — × *verrucosus plenus*, 202
 — *pubescens fl. pleno*, 199
 — *purpureo-maculatus*, 203
 — **rhombifolius**, 195
 — *speciosus*, 198
 — *strigosus*, 198
 — *subcanus Wilsonii*, 196
 — *umbellatus*, 201
 — *verrucosus nivalis*, 199
 — — **plenus**, 199
 — *virginalis*, 202
 — *Wilsonii*, 196
 — *Zeyheri Kochianus*, 201
 — — **umbellatus**, 201
Phyllostachys bambusoides albo-marginata,
 58
Physocarpus australis, 256
 — *ferrugineus*, 257
 — **stellatus**, 256
 Phytogeographical Sketch of the Lige-
 neous Flora of Korea, 32
Picea Abies argenteo-spica, 55
 — — **cinnamata**, 56
 — — **elegans**, 56
 — — **Ellwangeriana**, 56
 — — **Merkii**, 56
 — — **monstrosa**, 56
 — — **parviformis**, 56
 — — **procumbens**, 56
 — — **pygmaea**, 56
 — — *pyramidalis*, 57
 — — *pyramidata*, 56
 — — **Remontii**, 57
 — *alba argentea*, 57
 — — *aurea*, 57
 — — *coerulea*, 57
 — — *glauca*, 57
 — — *nana*, 58
 — *canadensis aurea*, 57
Picea canadensis coerulea, 57
 — — *glauca*, 57
 — — *nana*, 58
 — *ericoides*, 193
 — *excelsa argenteo-spica*, 55
 — — *argenteo-spicata*, 55
 — — *cinnamata*, 56
 — — *elegans*, 56
 — — *Ellwangeriana*, 56
 — — *erecta*, 57
 — — *Merkii*, 56
 — — *monocaulis*, 56
 — — *monstrosa*, 56
 — — *montrosa*, 56
 — — *parviformis*, 56
 — — *pygmaea*, 56
 — — *pyramidalis*, 56
 — — *pyramidata*, 56, 57
 — — *Remontii*, 57
 — *glauca conica*, 192
 — — *aurea*, 57
 — — *coerulea*, 57
 — — *nana*, 57
 — *laxa aurea*, 57
 — — *coerulea*, 57
 — *mariana ericoides*, 193
 — *pectinata*, 54
 — *vulgaris monocaulis*, 56
Pinus Abies, 54
 — — *argentei-spicata*, 55
 — — *monstrosa*, 56
 — — *pygmaea*, 56
 — *alba nana*, 57
 — *densiflora*, 33
 — *excelsa elegans*, 56
 — — *monstrosa*, 56
 — — *pygmaea*, 56
 — *glauca coerulea*, 57
 — *insignis*, 54
 — *Kaempferi*, 53
 — *lasiocarpa compacta*, 55
 — *luchuensis*, 174
 — *pectinata*, 54
 — *Picea*, 54
 — — *columnaris*, 55
 — — *monstrosa*, 56
 — — *pygmaea*, 56
Pisonia Nishimurae, 117
Poncirus trifoliata, 34
Populus angulata, 62
 — — *missouriensis*, 62
 — *acuminata Rehderi*, 61
 — *balsamifera*, 62
 — — *Michauxii*, 61
 — — *pilosa*, 63

Populus balsamifera virginiana, 63

- *candicans*, 61
- *deltoidea*, 63
- — *angulata*, 63
- — *missouriensis*, 62
- Fremonti *macrodisca*, 62
- Maximowiczii, 36
- Michauxii, 61
- *nigra virginiana*, 63
- *tacamahacca*, 61
- — Michauxii, 61

Pseudolarix amabilis, 53

- Fortunei, 53
- Kaempferi, 53

Pseudosassafras, 243

- Tzumu, 244

Ptychosperma elegans, 115*Pyracantha discolor*, 260

- *formosana*, 261
- Koidzumii, 261

Pyrus Harrowiana, 263

- *pinnatifida fastigiata*, 263
- *ussuriensis*, 38

Quercus acuminata, 122

- *acuminatissima*, 122, 129
- *aegylopiifolia*, 134
- *aliena pubipes*, 136
- *amygdalifolia*, 122
- Andersoni, 129
- *angustata*, 130
- *annulata*, 131
- *apoensis*, 123
- *attenuata*, 123
- *Ballota*, 132
- *bancana*, 130
- *Bennettii*, 123
- *Blancoi*, 129
- *Blumeana*, 122
- *brevicaudata*, 123
- *brevi-petiolata*, 128
- *callicarpifolia*, 126
- *campanoana*, 128
- *caraballoana*, 127
- *Carolinae*, 123
- *cathayana*, 123
- *caudatifolia*, 123
- *celebica*, 123, 129
- *Cerris crispa*, 135
- — *dentata*, 134
- — *fulhamensis*, 134
- — *heterophylla*, 135
- — *Lucombeana*, 134, 135
- — \times *Suber*, 133
- — *subperennis*, 133

Quercus clathrata, 123

- *clementiana*, 131
- *concentrica*, 131
- *conocarpa*, 123
- *cooperta*, 124
- *Copelandii*, 124
- *costata*, 124
- — *convexa*, 131
- *crassinervia*, 124
- *croatica Tenorei*, 133
- *cuneata*, 128
- *curranii*, 124
- *cyrtothyncha*, 124
- *Dalechampii*, 133
- *dasystachya*, 124
- *dealbata*, 124
- *densiflora*, 125
- — *echinoides*, 125
- — *montana*, 125
- *dentata*, 136
- *dolichocarpa*, 125
- *echinoides*, 125
- *edulis*, 125
- *Elizabethae*, 125
- *enclisocarpa*, 122
- *exoniensis*, 134
- *Eyrei*, 123, 125
- *fagiformis*, 121
- *fenestrata*, 126
- — *acuminata*, 122
- — *dealbata*, 125
- *Fernandezii*, 124
- *Fontanesii*, 133
- *formosana*, 126
- *fulhamensis*, 134
- — *latifolia*, 134
- — *Lucombeana*, 135
- *glabra*, 125, 126, 129
- *gracilipes*, 131
- *Hancei*, 127
- *Harlandii*, 127
- *Havilandii*, 127
- *heliciformis*, 127
- *hirsuta*, 128
- *hispanica*, 133
- — "Chêne à feuilles d'Aegylops," 134
- — "Chêne de Gibraltar," 134
- — *crispa*, 135
- — *dentata*, 134
- — *diversifolia*, 135
- — *heterophylla*, 135
- — *latifolia*, 134
- — *Lucombeana*, 134
- *hypoleuca*, 132
- *hystrix*, 127

Quercus Ilex Ballota, 132
 — — *diversifolia*, 135
 — — *rotundifolia*, 132
 — — *suberosa*, 133
 — *induta*, 127, 129
 — *inversa*, 126
 — *Irwinii*, 127
 — *iteaphylla*, 127
 — *Jordanae*, 127
 — *Junghuhnii*, 122
 — *Kajan*, 131
 — *Korthalsii*, 132
 — — *hystrix*, 127
 — — *kajan*, 131
 — — *mappacea*, 131
 — *lamponga*, 128
 — *lanuginosa pinnatifida*, 133
 — — *Tenorei*, 133
 — *lappacea*, 128
 — *laurifolia*, 132
 — *leucocarpa*, 132
 — *lineata*, 121
 — *lipacon*, 128
 — *Llanosii*, 123, 128, 131
 — *lucida*, 128
 — *Lucombeana*, 134
 — — *crispa*, 135
 — — *diversifolia*, 135
 — — *fulhamensis*, 134
 — — *heterophylla*, 135
 — — *latifolia*, 134
 — *Mackiana*, 128
 — *Maingayi*, 128
 — *mappacea*, 131
 — *merrittii*, 128
 — *mindanaensis*, 129
 — *molucca*, 131
 — *monticola*, 129
 — *muricata*, 131
 — *Omalkos*, 265
 — *omalokos*, 129, 265
 — *ovalis*, 129
 — *pachyphylla*, 129
 — *pallida*, 129
 — *pedunculata longifolia*, 135
 — *philippinensis*, 128, 129
 — *pinnatilobata*, 133
 — *platycarpa*, 130
 — *polystachya*, 130
 — *pruinosa*, 130
 — *pseudo-annulata*, 132
 — *pseudo-molucca*, 130
 — — *angustata*, 130
 — — *crassinervia*, 124
 — — *Korthalsii*, 131

Quercus pseudo-molucca pallida, 129
 — — *pruinosa*, 130
 — — *rostrata*, 129
 — — *sundaica*, 131
 — *pseudosuber*, 133
 — — *aegylopiifolia*, 135
 — — *Fontanesii*, 133
 — — *gibraltarica*, 134
 — *pubescens australis*, 133
 — *pyriformis*, 130
 — *rassa*, 130
 — *reflexa*, 122
 — *Reinwardtii*, 131
 — *reversa*, 126
 — *Robinsonii*, 130
 — *robur holophylla*, 135
 — — *Tenorei*, 133
 — *rotundifolia*, 132
 — *sessiliflora australis*, 133
 — — *insecata*, 135
 — — *laciniata*, 135
 — — *longifolia*, 135
 — — *pinnatifida*, 133
 — *sessilis australis*, 133
 — *Sieboldiana*, 126
 — *Skaniana*, 131
 — *Soleriana*, 131
 — *spicata Chittagonga*, 131
 — — *gracilipes*, 131
 — *submonticola*, 131
 — *sundaica*, 127, 128, 131
 — *Tenorei*, 133
 — *Tergestina*, 133
 — *Teysmannii*, 129, 131
 — *thalassica*, 126
 — *thelecarpa*, 130
 — *Thomsoni*, 132
 — *truncata*, 132
 — *turbinata*, 132
 — *Tysmannii*, 131
 — *wariifolia*, 132
 — *Vidalii*, 127
 — *vulcanica*, 133
 — *Wallichiana*, 132
 — *Wenzelii*, 132
 — *Wenzigiana*, 123
 — *Zschokkei*, 132

Quercus-Ilex Ilex rotundifolia, 132

REHDER, ALFRED. The American and Asiatic Species of *Sassafras*, 242
 — New Species, Varieties and Combinations from the Herbarium and Collections of the Arnold Arboretum, 44, 121, 191, 254

- REHDER, ALFRED. *Tetraplasia*, a New Genus of Rubiaceae, 190
 — and E. H. WILSON. New Woody Plants from the Bonin Islands, 115
Retinispora tetragona aurea, 52
Rhamnus davuricus liukiensis, 181
Rhododendron poukhanense, 42
Ribes, 254
 — *aureum acerifolium*, 255
 — — *intermedium*, 255
 — — *sanguineum*, 255
 — — *serotinum*, 255
 — *ciliatum*, 255
 — *flavum*, 255
 — *fragrans*, 255
 — *glandulosum*, 255
 — *holosericeum pallidum*, 255
 — *intermedium*, 255
 — *Kitaibellii*, 255
 — *odoratum serotinum*, 255
 — *pallidum*, 255
 — *rubrum aureo-marginatum*, 254
 — — *baccis variegatis*, 255
 — — *foliis aureo-marginatis*, 254
 — — *foliis luteo-variegatis*, 254
 — — *striatum*, 255
 — — *variegatum*, 255
 — — *variegatum*, 254
 — — *var.*, 254
 — *Ruizii*, 255
 — *vulgare striatum*, 255
 — — *variegatum*, 254
 Rubiaceae, *Tetraplasia*, a New Genus of, 190
- Salix*, see, Notes on American Willows.
 A complete list of all species and varieties of American Willows will be published in vol. II. at the conclusion of that series of articles, and will serve as an index to the names enumerated in this Journal
- SARGENT, C. S. Introduction, p. v
 — Notes on North American Trees, v, vi, 61, 245
- Sasa albo-marginata*, 58
 — — *minor*, 58
 — — *nana*, 58
 — *nana*, 59
 — *paniculata*, 58
 — — *depauperata*, 59
 — — *nana*, 59
 — — *nebulosa*, 58, 59
 — — *Ontakensis*, 59
 — — *stenantha*, 59
Sasa senanensis, 58
 — — *nebulosa*, 58
 — — *stenantha*, 59
 — *Veitchii*, 58
 — — *minor*, 58
 Sassafras, The American and Asiatic species of, 242
 Sassafras, 243
 — *officinale*, 244
 — *randaiense*, 244
 — *Thunbergii*, 146
 — *tzumu*, 244
Scaevola Koenigii, 175
 SCHNEIDER, CAMILLO. Notes on American Willows, v-VIII, 1, 67, 147, 211
Sericotheca concolor, 260
 — *franciscana*, 260
 — *obovata*, 260
Sideroxylon liukiense, 265
Sorbus Harrowiana, 263
 — *hybrida fastigiata*, 263
Spiraea caroliniana, 256
 — *fulvescens*, 258
 — *hypericifolia hupehensis*, 258
 — *Martinii*, 258
 — *opulifolia ferruginea*, 256
 — *prunifolia hupehensis*, 258
 — *Schochiana*, 259
 — *Teniana*, 259
 — *virginiana serrulata*, 260
Symplocos boninensis, 119
 — *Otomoi*, 119
Synaedrys acuminatissima, 129
 — *acuminata*, 122
 — *amygdalifolia*, 122
 — *Bennettii*, 123
 — *Blumeana*, 122
 — *brevicaudata*, 123
 — *Carolinae*, 123
 — *cathayana*, 123
 — *caudatifolia*, 123
 — *celebica*, 123
 — *clathrata*, 123
 — *conocarpa*, 124
 — *cooperta*, 124
 — *costata*, 124
 — *crassinervia*, 124
 — *Curranii*, 124
 — *cyrtorhyncha*, 124
 — *dasystachya*, 124
 — *dealbata*, 125
 — *dolichocarpa*, 125
 — *edulis*, 125
 — *enclleistocarpa*, 122
 — *fenestrata*, 126

- Synaedrys formosana*, 126
 — *glabra*, 126
 — *Hancei*, 127
 — *Harlandii*, 127
 — *heliciformis*, 127
 — *hystrix*, 127
 — *induta*, 127
 — *Irwinii*, 127
 — *iteaphylla*, 127
 — *Jordanae*, 127
 — *lamponga*, 128
 — *lappacea*, 128
 — *Llanosii*, 128
 — *lucida*, 128
 — *Maieri*, 128
 — *Maingayi*, 128
 — *Merrittii*, 128
 — *monticola*, 129
 — *omalokos*, 129
 — *ovalis*, 129
 — *pachyphylla*, 129
 — *pallida*, 129
 — *philippinensis*, 130
 — *platycarpa*, 130
 — *polystachya*, 130
 — *pruinosa*, 130
 — *pseudomolucca*, 130
 — *pyriformis*, 130
 — *rassa*, 130
 — *reflexa*, 129
 — *Soleriana*, 131
 — *sundaica*, 131
 — *Teysmanni*, 132
 — *Thomsonii*, 132
 — *truncata*, 132
 — *uvariifolia*, 132
 — *Wallichiana*, 132
 — *Wenzelii*, 132
Syringa dilatata, 41

Taiwania cryptomerioides, 265
 — *cupressoides*, 66, 265
Taxus baccata, 51
 — — *chinensis*, 51
 — — *sinensis*, 51
 — *chinensis*, 51
 — *cuspidata aurescens*, 191
 — — *chinensis*, 51
Tetraplasia, 190
 — *biflora*, 190
Tetraplasia, A new Genus of Rubiaceae,
 190
Tetranthera sericea, 143
 — *sikkimensis*, 143
Thuja japonica, 186

Thuja kongoensis, 186
 — *koraiensis*, 186
 — *odorata*, 186
 — *Standishii*, 186
Tripterygium Regelii, 42

Ulmus antarctica, 140
 — *asperrima*, 138
 — *atina*, 138
 — *campestris*, 138
 — — *antarctica aurea*, 141
 — — *argenteo-variegata*, 139
 — — *aurea*, 141
 — — *australis*, 141
 — — *Berardi*, 140
 — — *cornuta*, 137
 — — *foliis variegatis*, 139
 — — *pubescens*, 138
 — — *gracilis*, 140
 — — “Louis Van Houtte,” 140
 — — *major*, 138
 — — *myrtifolia purpurea*, 140
 — — *pubescens*, 138
 — — *purpurascens*, 140
 — — *purpurea*, 140
 — — *Rosscelsii*, 141
 — — *Vanhouttei*, 140
 — — *variegata*, 139
 — — *viminalis*, 140, 141
 — — *viminalis marginata*, 141
 — — *viminalis variegata*, 141
 — — *vulgaris*, 138
 — — *vulgatissima*, 138
 — *germanica*, 138
 — *glabra antarctica*, 140
 — — *berardii*, 140
 — — *cornuta*, 137
 — — *pilifera*, 138
 — — *pubescens*, 138
 — — *purpurascens*, 140
 — — *tricuspis*, 137
 — — *van houttei*, 140
 — — *viminalis*, 140
 — *gracilis*, 140
 — *intermedia*, 137
 — *laciniata nikkoensis*, 137
 — *montana corylifolia*, 137
 — — *gracilis* 140
 — — *gracilis aurea*, 141
 — — *lobata*, 137
 — — *tricuspis*, 137
 — — *tridens*, 137
 — — *triserrata*, 137
 — — *Vanhouttei*, 140
 — — *viminalis*, 140

- Ulmus montana viminalis marginata*, 141
 — *nitens Berardi*, 140
 — *pilifera*, 138
 — *procera*, 138
 — — *argenteo-variegata*, 139
 — — *aurea*, 141
 — — *australis*, 141
 — — *Berardii*, 140
 — — *marginata*, 141
 — — *purpurascens*, 140
 — — *purpurea*, 140
 — — *Vanhouttei*, 140
 — — *viminalis*, 140
 — *pumila pilosa*, 141
 — *purpurea*, 140
 — *Rosseelsi*, 141
 — *scabra heterophylla*, 137
 — — *tricuspis*, 137
 — — *viminalis*, 140
 — *suberosa*, 138
 — — *vulgaris*, 138
 — *surculosa*, 138
 — — *latifolia*, 138
 — *tricuspis*, 137
 — *tridens*, 137
 — *triserrata*, 137
 — *viminalis*, 140, 141
 — — *aurea*, 141
 — — *variegata*, 141
 — *vulgaris*, 138
Umbellularia californica pendula, 143
 USHIWO. List of Woody Plants of the
 Kawanabe Islands, 183
- Vernacular Names of Bonin Island plants,
 115
 Willows, Notes on American, v-viii, 1,
 67, 147, 211
 WILSON, E. H. 66, 264
 — The Bonin Islands and their Ligneous
 Vegetation, 97
 — Camphor, Cinnamomum Camphora
 Nees & Ebermaier, 239
 — Four New Conifers from Korea, 186
 — The Liukiu Islands and their Ligneous
 Vegetation, 171
 — A Phytogeographical Sketch of the
 Ligneous Flora of Korea, 32
 — and ALFRED REHDER *see* REHDER,
 ALFRED and E. H. WILSON
 Woody plants of the Kawanabe Islands,
 183
Xanthoxylum ailanthoides, 118
Yucca antwerpensis, 193
 — *filamentosa antwerpensis*, 193
 — — *glaucescens*, 193
 — *flaccida glaucescens*, 193
 — — *major*, 193
 — *glaucescens*, 193
 — *orchioides major*, 193
Zanthoxylum ailanthoides inerme, 118
 — *inerme*, 265
 — *okinawense*, 180
Zelkova serrata, 142